Author index

Abramson, J.J., see Moutin, M.-J. (984) 289
Akeson, M.A. and Munns, D.N.
Lipid bilayer permeation by neutral aluminum citrate and by three α-hydroxy carboxylic acids (984) 200
Aoyagi, H., see Lee, S. (984) 174
Apell, H.-J., see Fringeli, U.P. (984) 301
Apovo, M., Gascard, P., Rhoda, M.D., Beuzard, Y. and Giraud, F.
Alteration in protein kinase C activity and subcellular distribution in sickle erythrocytes (984) 26
Arakelyan, V.B., see Matinyan, N.S. (984) 313
Arumugam, S., see Riddell, F.G. (984) 6
Arvidson, G., Ronquist, G., Wikander, G. and Öjteg, A.-C.
Human prostasome membranes exhibit very high cholesterol/phospholipid ratios yielding high molecular ordering (984) 167
Avakian, T.M., see Matinyan, N.S. (984) 313
Avvakumov, G.V., Krupenko, S.A. and Strel'chyonok, O.A.
Study of the transcortin binding to human endometrium plasma membrane (984) 143

Balduini, C., see Sinigaglia, F. (984) 225
Barber, K.R., see Grant, C.W.M. (984) 11
Bayerl, T.M., Werner, G.-D. and Sackmann, E.
Solubilization of DMPC and DPPC vesicles by detergents below their critical micellization concentration: high-sensitivity differential scanning calorimetry, Fourier transform infrared spectroscopy and freeze-fracture electron microscopy reveal two interaction sites of detergents in vesicles (984) 214
Beitinger, H., Vogel, V., Möbius, D. and Rahmann, H.
Surface potentials and electric dipole moments of ganglioside and phospholipid monolayers: contribution of the polar headgroup at the water/lipid interface (984) 293
Bergstrand, A., see Nässberger, L. (984) 365
Beuzard, Y., see Apovo, M. (984) 26
Boss, W.F., see Wheeler, J.J. (984) 33
Busse, S.C., Mann, P.L. and Griffey, R.H.
Senescence-induced alteration in cell surface carbohydrates correlated using proton NMR spectroscopy and a lectin-based affinity-binding assay (984) 183

Cabrini, L., see Landi, L. (984) 21
Carmeliet, E., see Lemmens, M. (984) 351
Cassano, G., see Vilella, S. (984) 188
Chakraborty, M., see Chatterjee, D. (984) 104
Chapman, D., see Welte, W. (984) 193
Chatterjee, A., see Chatterjee, D. (984) 104
Chatterjee, D., Lahiri, P., Chatterjee, A. and Chakraborty, M.
Bay K8644 like activity of an antibody against a 60 kDa tubular membrane protein (984) 104
Collard, K.J.
On the mechanism by which extracellular sodium depletion causes 5-hydroxytryptamine release from rat brain synaptosomes (984) 319
Collins, J.M., see Cunningham, B.A. (984) 109
Crowe, J.H., see Wistrom, C.A. (984) 238
Cunningham, B.A., Tamura-Lis, W., Lis, L.J. and Collins, J.M.
Thermodynamic properties of acyl chain and mesophase transitions for phospholipids in KSCN (984) 109

De Meis, L. and Sorenson, M.M.
ATP regulation of calcium transport in back-inhibited sarcoplasmic reticulum vesicles (984) 373
DePierre, J.W., see Nässberger, L. (984) 365
De Pont, J.J.H.H.M., see Kuijpers, G.A.J. (984) 63
De Pont, J.J.H.H.M., see Kuijpers, G.A.J. (984) 71
Diederichs, K., see Welte, W. (984) 193
Dietz, K.-J., Martinoia, E. and Heber, U.
Mobilisation of vacuolar amino acids in leaf cells as affected by ATP and the level of cytosolic amino acids: ATP regulates but appears not to energize vacuolar amino-acid release (984) 57
Dupont, Y., see Moutin, M.-J. (984) 289

Faivre, J.-F. and Findlay, I.
Effects of tolbutamide, glibenclamide and diazoxide upon action potentials recorded from rat ventricular muscle (984) 1
Findlay, I., see Faivre, J.-F. (984) 1
Fiorentini, D., see Landi, L. (984) 21
Fringeli, M., see Fringeli, U.P. (984) 301
Fringeli, U.P., Apell, H.-J., Fringeli, M. and Läuger, P.
Polarized infrared absorption of Na^+/K^+-ATPase studied by attenuated total reflection spectroscopy (984) 301
Furois-Corbin, S. and Pullman, A.
A possible model for the inner wall of the acetylcholine receptor channel (984) 339

Gárdos, G., see Magócsi, M. (984) 88
Gascard, P., see Apovo, M. (984) 26
Giraud, F., see Apovo, M. (984) 26
Gladkaya, E.M., see Victorov, A.V. (984) 119
Grant, C.W.M., Hamilton, K.S., Hamilton, K.D. and Barber, K.R.
Physical biochemistry of a liposomal amphotericin B mixture used for patient treatment (984) 11
Green, B.R., see Webb, M.S. (984) 41
Griffey, R.H., see Busse, S.C. (984) 183
Growe, L.M., see Wistrom, C.A. (984) 238
Gutierrez-Merino, C., see Henao, F. (984) 135

Hall, C., see Welte, W. (984) 193
Hamilton, K.D., see Grant, C.W.M. (984) 11
Hamilton, K.S., see Grant, C.W.M. (984) 11
Heber, U., see Dietz, K.-J. (984) 57
Henao, F. and Gutierrez-Merino, C.
Inhibition of the sarcoplasmic reticulum ($Ca^{2+} + Mg^{2+}$)-ATPase by Zn (II) (984) 135
Horiuchi, S., see Takata, K. (984) 273
Horváth, L.I., see Páli, T. (984) 128

Ikushiro, S.-i., Kominami, S. and Takemori, S.
Adrenal cytochrome $P\text{-}450_{11\beta}$-proteoliposomes catalyzing aldosterone synthesis: preparation and characterization (984) 50

Jacobsen, C., see Røigaard-Petersen, H. (984) 231
Jessen, H., see Røigaard-Petersen, H. (984) 231
Jona, I., see Keresztes, T. (984) 326
Jonas, A.J. and Speller, R.J.
Stearylamine permeabilizes the lysosomal membrane to cystine and sialic acid (984) 257

Kahn, N.N. and Sinha, A.K.
Inhibition of cyclic AMP phosphodiesterase activity of human blood platelet membrane by ADP (984) 113
Kamaya, H., see Yoshida, T. (984) 253
Kato, T., see Lee, S. (984) 174
Keresztes, T., Jona, I., Pikula, S., Vegh, M., Mullner, N., Papp, S. and Martonosi, A.
Effect of calcium on the interactions between Ca^{2+}-ATPase molecules in sarcoplasmic reticulum (984) 326
Klugerman, A.H., see Tenenhouse, H.S. (984) 207
Kocharov, S.L., see Matinyan, N.S. (984) 313
Kominami, S., see Ikushiro, S.-i. (984) 50
Kosykh, V.A., see Victorov, A.V. (984) 119
Kovács, T., see Magócsi, M. (984) 88
Krupenko, S.A., see Avvakumov, G.V. (984) 143
Kuijpers, G.A.J., De Pont, J.J.H.H.M. and Westerhoff, H.V
A model for fluid secretion in the exocrine pancreas (984) 71
Kuijpers, G.A.J., Van Nooy, I.G.P. and De Pont, J.J.H.H.M.
Role of monovalent cations in fluid secretion from the exocrine rabbit pancreas (984) 63

Labouesse, J., see Volker, T.T. (984) 243
Lahiri, P., see Chatterjee, D. (984) 104
Landi, L., Fiorentini, D., Cabrini, L., Stefanelli, C. and Sechi, A.M.
Effects of free radicals produced by sonolysis on ubiquinone-containing vesicles (984) 21
Läuger, P., see Fringeli, U.P. (984) 301
Lee, S., Yoshida, M., Mihara, H., Aoyagi, H., Kato, T. and Yamasaki, N.
The spectroscopic analysis for binding of amphipathic and antimicrobial model peptides containing pyrenylalanine and tryptophan to lipid bilayer (984) 174
Lemmens, M., Verheyden, K., Van Veldhoven, P., Vereecke, J., Mannaerts, G.P. and Carmeliet, E.
Single-channel analysis of a large conductance channel in peroxisomes from rat liver (984) 351
Leonhard, M., see Welte, W. (984) 193
Lis, L.J., see Cunningham, B.A. (984) 109
Lynch, D.V. and Steponkus, P.L.
Lyotropic phase behavior of unsaturated phosphatidylcholine species: Relevance to the mechanism of plasma membrane destabilization and freezing injury (984) 267

Macey, R.I., see Yousef, L.W. (984) 281
Magócsi, M., Sarkadi, B., Kovács, T. and Gárdos, G.
Thrombin-induced activation of calcium transport pathways and their role in platelet functions (984) 88
Mann, P.L., see Busse, S.C. (984) 183
Mannaerts, G.P., see Lemmens, M. (984) 351
Martinoia, E., see Dietz, K.-J. (984) 57
Martonosi, A., see Keresztes, T. (984) 326
Matinyan, N.S., Melikyan, G.B., Arakelyan, V.B., Kocharov, S.L., Prokazova, N.V. and Avakian, T.M.
Interaction of ganglioside-containing planar bilayers with serotonin and inorganic cations (984) 313
Meddings, J.B.
Lipid permeability of the intestinal microvillus membrane may be modulated by membrane fluidity in the rat (984) 158
Medvedeva, N.V., see Victorov, A.V. (984) 119
Melikyan, G.B., see Matinyan, N.S. (984) 313
Mihara, H., see Lee, S. (984) 174
Möbius, D., see Beitinger, H. (984) 293
Moein Moghimi, S. and Patel, H.M.
Serum opsonins and phagocytosis of saturated and unsaturated phospholipid liposomes (984) 384
Moghimi, S.M. and Patel, H.M.
Differential properties of organ-specific serum opsonins for liver and spleen macrophages (984) 379
Mohri, T., see Ohta, A. (984) 151
Mollerup, S., see Røigaard-Petersen, H. (984) 231
Morino, Y., see Takata, K. (984) 273
Morozkin, A.D., see Victorov, A.V. (984) 119
Moutin, M.-J., Abramson, J.J., Salama, G. and Dupont, Y.
Rapid Ag^{+}-induced release of Ca^{2+} from sarcoplasmic reticulum vesicles of skeletal muscle: a rapid filtration study (984) 289
Mrak, R.E. and North, P.E.
Triphasic effects of short chain *n*-alcohols on synaptic membrane transport of choline and of γ-aminobutyric acid (984) 97
Mullner, N., see Keresztes, T. (984) 326
Munns, D.N., see Akeson, M.A. (984) 200

Nagaraj, R., see Saberwal, G. (984) 360
Nässberger, L., Bergstrand, A. and DePierre, J.W.
Isolation of myelin bodies from the kidney cortex of gentamicin-treated rats (984) 365
Neal, J.L., see Tenenhouse, H.S. (984) 207
North, P.E., see Mrak, R.E. (984) 97

Ohta, A., Mohri, T. and Ohyashiki, T.
Effect of lipid peroxidation on membrane-bound Ca^{2+}-ATPase activity of the intestinal brush-border membranes (984) 151
Ohyashiki, T., see Ohta, A. (984) 151
Öjteg, A.-C., see Arvidson, G. (984) 167
Okabayashi, H., see Yoshida, T. (984) 253

Páli, T. and Horváth, L.I.
Restricted lateral diffusion of acidic lipids in phospholipid vesicles aggregated by myelin basic protein (984) 128
Papp, S., see Keresztes, T. (984) 326
Patel, H.M., see Moein Moghimi, S. (984) 384
Patel, H.M., see Moghimi, S.M. (984) 379
Peters, T.J., see Raja, K.B. (984) 262
Pianet, I., see Volker, T.T. (984) 243
Pikula, S., see Keresztes, T. (984) 326
Podrez, E.A., see Victorov, A.V. (984) 119
Prokazova, N.V., see Matinyan, N.S. (984) 313
Pullman, A., see Furois-Corbin, S. (984) 339

Rahmann, H., see Beitinger, H. (984) 293
Raja, K.B., Simpson, R.J. and Peters, T.J.
Membrane potential dependence of Fe(III) uptake by mouse duodenum (984) 262
Ramaschi, G., see Sinigaglia, F. (984) 225
Rand, R.P., see Wistrom, C.A. (984) 238
Restall, C., see Welte, W. (984) 193
Rhoda, M.D., see Apovo, M. (984) 26
Riddell, F.G. and Arumugam, S.
The transport of Li^{+}, Na^{+} and K^{+} ions through phospholipid bilayers mediated by the antibiotic M139603 studied by ^{7}Li-, ^{23}Na- and ^{39}K-NMR (984) 6
Røigaard-Petersen, H., Jacobsen, C., Jessen, H., Mollerup, S. and Sheikh, M.I.
Electrogenic uptake of D-imino acids by luminal membrane vesicles from rabbit kidney proximal tubule (984) 231
Ronquist, G., see Arvidson, G. (984) 167

Saberwal, G. and Nagaraj, R.
A synthetic peptide corresponding to the hydrophobic amino terminal region of pardaxin can perturb model membranes of phosphatidyl choline and serine (984) 360
Sackmann, E., see Bayerl, T.M. (984) 214
Salama, G., see Moutin, M.-J. (984) 289
Sarkadi, B., see Magócsi, M. (984) 88
Sechi, A.M., see Landi, L. (984) 21
Sheikh, M.I., see Røigaard-Petersen, H. (984) 231

Simpson, R.J., see Raja, K.B. (984) 262
Sinha, A.K., see Kahn, N.N. (984) 113
Sinigaglia, F., Torti, M., Ramaschi, G. and Balduini, C.
The occupancy of glycoprotein IIb-IIIa complex modulates thrombin activation of human platelets (984) 225
Somerharju, P., see Vauhkonen, M. (984) 81
Sorenson, M.M., see De Meis, L. (984) 373
Spargo, B.J., see Wistrom, C.A. (984) 238
Speller, R.J., see Jonas, A.J. (984) 257
Stefanelli, C., see Landi, L. (984) 21
Steponkus, P.L., see Lynch, D.V. (984) 267
Storelli, C., see Vilella, S. (984) 188
Strel'chyonok, O.A., see Avvakumov, G.V. (984) 143

Taga, K., see Yoshida, T. (984) 253
Takata, K., Horiuchi, S. and Morino, Y.
Scavenger receptor-mediated recognition of maleylated albumin and its relation to subsequent endocytic degradation (984) 273
Takemori, S., see Ikushiro, S.-i. (984) 50
Tamura-Lis, W., see Cunningham, B.A. (984) 109
Teissié, J., see Volker, T.T. (984) 243
Tenenhouse, H.S., Klugerman, A.H. and Neal, J.L.
Effect of phosphonoformic acid, dietary phosphate and the *Hyp* mutation on kinetically distinct phosphate transport processes in mouse kidney (984) 207
Torti, M., see Sinigaglia, F. (984) 225

Ueda, I., see Yoshida, T. (984) 253

Van Nooy, I.G.P., see Kuijpers, G.A.J. (984) 63
Van Veldhoven, P., see Lemmens, M. (984) 351
Vauhkonen, M. and Somerharju, P.
Parinaroyl and pyrenyl phospholipids as probes for the lipid surface layer of human low density lipoproteins (984) 81
Vegh, M., see Keresztes, T. (984) 326
Vereecke, J., see Lemmens, M. (984) 351
Verheyden, K., see Lemmens, M. (984) 351
Victorov, A.V., Medvedeva, N.V., Gladkaya, E.M., Morozkin, A.D., Podrez, E.A., Kosykh, V.A. and Yurkiv, V.A.
Composition and structure of lipopolysaccharide-human plasma low density lipoprotein complex. Analytical ultracentrifugation, ^{31}P-NMR, ESR and fluorescence spectroscopy studies (984) 119
Vilella, S., Cassano, G. and Storelli, C.
How many Na^+-dependent carriers for L-alanine and L-proline in the eel intestine? Studies with brush-border membrane vesicles (984) 188
Vogel, V., see Beitinger, H. (984) 293
Volker, T.T., Pianet, I., Labouesse, J. and Teissié, J.
Signal transduction by membrane receptors in viable electropermeabilized cells: isoproterenol-stimulated cyclic AMP synthesis in C6 glioma cells (984) 243

Webb, M.S. and Green, B.R.
Permeability properties of large unilamellar vesicles of thylakoid lipids (984) 41
Welte, W., Leonhard, M., Diederichs, K., Weltzien, H.-U., Restall, C., Hall, C. and Chapman, D.
Stabilization of detergent-solubilized Ca^{2+}-ATPase by poly(ethylene glycol) (984) 193
Weltzien, H.-U., see Welte, W. (984) 193
Werner, G.-D., see Bayerl, T.M. (984) 214
Westerhoff, H.V., see Kuijpers, G.A.J. (984) 71
Wheeler, J.J. and Boss, W.F.
The presence of *sn*-1-palmitoyl lysophosphatidylinositol monophosphate correlates positively with the fusion-permissive state of the plasma membrane of fusogenic carrot cells grown in suspension culture (984) 33
Wikander, G., see Arvidson, G. (984) 167
Wistrom, C.A., Rand, R.P., Growe, L.M., Spargo, B.J. and Crowe, J.H.
Direct transition of dioleoylphosphatidylethanolamine from lamellar gel to inverted hexagonal phase caused by trehalose (984) 238

Yamasaki, N., see Lee, S. (984) 174
Yoshida, M., see Lee, S. (984) 174
Yoshida, T., Taga, K., Okabayashi, H., Kamaya, H. and Ueda, I.
Changes in surface capacitance and conductance parallel to phospholipid membranes associated with phase transition: effects of halothane (984) 253
Yousef, L.W. and Macey, R.I.
A method to distinguish between pore and carrier kinetics applied to urea transport across the erythrocyte membrane (984) 281
Yurkiv, V.A., see Victorov, A.V. (984) 119